SHOWER CONTROL SYSTEM

1 STATION KIT WITH WAVE ON SENSOR


SH07-010


The shower control system can be used for 1 or 2 showerheads. The control system will effectively give any standard showerhead automatic wave-on control. The shower control system also features a built-in purge control option to avoid stagnation. When a user waves their hand past the sensor (or pushes the tactile switch) the control system activates the solenoid valve and will run for a pre-set time before automatically closing the valve and stopping the shower. Various settings can be customised quickly and easily from within the control box if necessary. – One station kit – Wave-on operation

PRODUCT NUMBER	
SH07-010	

TECHNICAL DATA	
Control box material	ABS
Gross weight	1.25 kg
Type of mounting	Wall mounted (pre-drilled holes)
Power source	Mains
Voltage	230V a.c.
IP rating	54
Current	0.055A
Frequency	50Hz
Operation type	Wave-on sensor
Sensor voltage	5V DC
Solenoid valve voltage	12V DC
Solenoid valve power	3W normally closed
Settings	
Pre-flush & purge facility	ON/OFF
	(Purge initiated every 24 hours of non-use)
Lockout	ON/OFF
	4 times in 15 mins
Kit Contents	
SH07-001	Shower Control System
SH00-005	Standard Shower Sensor V2, 8m cable
AC17-101	Anti-Microbial 12v Normally Closed Valve







ALL DIMENSIONS IN MM

2022-05-06, Dart Valley Systems

